





Description:	LIMA extension set: middle post, beam set
Item number:	DFDH-MS-M
GTIN:	4250912312791
Customs tariff number:	39269097
Material:	Polyethylene
Width (mm):	1560
Height (mm):	1200
Depth/Length (mm):	225
Installation width (mm):	1530
Colour:	yellow - black
Foot plate width (mm):	225
Foot plate depth (mm):	225
Foot plate height (mm):	10
Foot plate colour:	black
Area of application:	indoor and outdoor use
Mounting:	bolting
Delivery is:	disassembled
Number of mounting holes:	4
Fixing included:	Concrete screw anchors M12 x 80 mm
Tested to withstand force (Joule):	IMPACT ZONE 1: 90° 4.000 J IMPACT ZONE 2: 90° 15.000 J 67,5° 17.600 J 45° 30.000 J 22,5° 102.700 J IMPACT ZONE 3: 90° 4.000 J
Vehicle:	Heavy Duty LPG forklifts
Vehicle weight equivalent (kg):	11.590 kg
Vehicle equivalent speed (km/h):	3,0 km/h
Deformation under maximal force (mm):	250
Chemical Resistance:	high-ISO/TR 10358
Temperature Range:	-40° bis +50°
Recyclability:	100%
Warranty:	5 years
Brand:	d-flexx
Contain:	1x DFDH-M-M 1x DFDH-M-H1





Description:	d-flexx Lima barrier middle post
Item number:	DFDH-M-M
GTIN:	4250912395237
Customs tariff number:	39269097
Material:	Polyethylene
Width (mm):	1000
Height (mm):	1200
Depth/Length (mm):	225
Installation width (mm):	110
Net weight (kg):	23,07
Width without foot plate (mm):	1000
Depth without foot plate (mm):	200
Colour:	yellow - black
Foot plate width (mm):	225
Foot plate depth (mm):	225
Foot plate height (mm):	10
Foot plate colour:	black
Area of application:	indoor and outdoor use
Mounting:	bolting
Delivery is:	partly disassembled
Number of mounting holes:	4
Fixing included:	Concrete screw anchors M12 x 80 mm
Tested to withstand force (Joule):	IMPACT ZONE 3: 90° 4.000 J
Vehicle:	Heavy Duty LPG forklifts
Vehicle weight equivalent (kg):	11.590 kg
Vehicle equivalent speed (km/h):	3,0 km/h
Tested according to:	PAS 13: 2017 chap. 7/7.8
Inclination angle:	15°
Chemical Resistance:	high-ISO/TR 10358
Temperature Range:	-40° bis +50°
Recyclability:	100%
Warranty:	5 years
Brand:	d-flexx





Description:	d-flexx Lima beamset Ø 63/Ø 160x1510 mm
Item number:	DFDH-M-H1
GTIN:	4250912395251
Customs tariff number:	39269097
Material:	Polyethylene
Width (mm):	62
Diameter (mm):	Ø 160 / Ø 63
Installation width (mm):	1420
Net weight (kg):	1,548
Colour:	yellow
Area of application:	indoor and outdoor use
Mounting:	screw together stuck
Tested to withstand force (Joule):	IMPACT ZONE 2: 90° 15.000 J 67,5° 17.600 J 45° 30.000 J 22,5° 102.700 J
Vehicle:	Heavy Duty LPG forklifts
Vehicle weight equivalent (kg):	11.590 kg
Vehicle equivalent speed (km/h):	3,0 km/h
Tested according to:	PAS 13: 2017 chap. 7/7.8
Deformation under maximal force (mm):	250
Chemical Resistance:	high-ISO/TR 10358
Temperature Range:	-40° bis +50°
Recyclability:	100%
Warranty:	5 years
Brand:	d-flexx

