





Description:	CHARLIE extension set: middle post, tube
Item number:	DFVB-MS-M
GTIN:	4250912312432
Customs tariff number:	39269097
Material:	Polyethylene
Width (mm):	1000
Height (mm):	500
Depth/Length (mm):	225
Installation width (mm):	1530
Colour:	yellow - black
Foot plate width (mm):	225
Foot plate depth (mm):	225
Foot plate height (mm):	10
Foot plate colour:	black
Area of application:	indoor and outdoor use
Mounting:	bolting
Delivery is:	partly disassembled
Number of mounting holes:	4
Fixing included:	Concrete screw anchors M12 x 80 mm
Tested to withstand force (Joule):	IMPACT ZONE 1: 90° 4.000 J IMPACT ZONE 2: 90° 9.000 J 67,5° 10.500 J 45° 18.000 J 22,5° 61.500 J IMPACT ZONE 3: 90° 4.000 J
Vehicle:	LPG forklift
Vehicle weight equivalent (kg):	4.320 kg
Vehicle equivalent speed (km/h):	4,9 km/h
Approval / Certification:	TÜV-GS certified PAS 13: 2017 Kap 7/7.8
Deformation under maximal force (mm):	250
Chemical Resistance:	high-ISO/TR 10358
Temperature Range:	-40° bis +50°
Recyclability:	100%
Warranty:	5 years
Brand:	d-flexx
Contain:	1x DFVB-M 1x DFVB-R





Description:	traffic barrier Charlie middle post
Item number:	DFVB-M
GTIN:	4250912311213
Customs tariff number:	39269097
Material:	Polyethylene
Width (mm):	1000
Height (mm):	500
Depth/Length (mm):	225
Installation width (mm):	600
Net weight (kg):	15,43
Width without foot plate (mm):	1000
Depth without foot plate (mm):	200
Colour:	yellow - black
Foot plate width (mm):	225
Foot plate depth (mm):	225
Foot plate height (mm):	10
Foot plate colour:	black
Area of application:	indoor and outdoor use
Mounting:	bolting
Delivery is:	pre-assembled
Number of mounting holes:	4
Fixing included:	Concrete screw anchors M12 x 80 mm
Tested to withstand force (Joule):	IMPACT ZONE 3: 90° 4.000 J
Vehicle:	LPG forklift
Vehicle weight equivalent (kg):	4.320 kg
Vehicle equivalent speed (km/h):	4,9 km/h
Approval / Certification:	TÜV-GS certified PAS 13: 2017 Kap 7/7.8
Inclination angle:	15°
Chemical Resistance:	high-ISO/TR 10358
Temperature Range:	-40° bis +50°
Recyclability:	100%
Warranty:	5 years
Brand:	d-flexx





Description:	traffic barrier Charlie standard tube
Item number:	DFVB-R
GTIN:	4250912311220
Customs tariff number:	39269097
Material:	Polyethylene
Width (mm):	930
Diameter (mm):	160
Installation width (mm):	930
Net weight (kg):	3,79
Colour:	yellow
Area of application:	indoor and outdoor use
Mounting:	screw together stuck
Tested to withstand force (Joule):	IMPACT ZONE 2: 90° 9.000 J 67,5° 10.500 J 45° 18.000 J 22,5° 61.500 J
Vehicle:	LPG forklift
Vehicle weight equivalent (kg):	4.320 kg
Vehicle equivalent speed (km/h):	4,9 km/h
Approval / Certification:	TÜV-GS certified PAS 13: 2017 Kap 7/7.8
Deformation under maximal force (mm):	250
Chemical Resistance:	high-ISO/TR 10358
Temperature Range:	-40° bis +50°
Recyclability:	100%
Warranty:	5 years
Brand:	d-flexx

